

WEST Search History

DATE: Tuesday, July 18, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L41	((CANNON near2 JOSEPH) or (JOHANSON near2 JAMES) or (MOONEY near2 PHILIP)) and (facsimile or fax) and password\$2	0
<input type="checkbox"/>	L40	((CANNON near2 JOSEPH) or (JOHANSON near2 JAMES) or (MOONEY near2 PHILIP)) and (facsimile or fax) and password\$2	0
<input type="checkbox"/>	L39	((CANNON near2 JOSEPH) or (JOHANSON near2 JAMES) or (MOONEY near2 PHILIP)) and (facsimile or fax)	15
<input type="checkbox"/>	L38	(facsimile and comparison and password and confidential).clm.	3
<input type="checkbox"/>	L37	(far adj end and password\$4 and match\$6).clm.	1
<input type="checkbox"/>	L36	(far adj end and password\$4 and match\$6).clm.	1
<input type="checkbox"/>	L34	("near" adj end and far adj end and password\$4 and match\$6).clm.	0
<input type="checkbox"/>	L33	l29 and confidential	53
<input type="checkbox"/>	L32	L31 and (confidential)	50
<input type="checkbox"/>	L31	(l21 or l24 or l26 or l28) and ((match\$7 or compar\$7) near2 password\$4)	214
<input type="checkbox"/>	L30	(((((password or secret\$3 or code\$6) and register\$4)and (fax or facsimile or (peer near2 communication\$3))) and ((match\$5 OR compar\$) near2 password\$2)).CLM.	7
<input type="checkbox"/>	L29	(((((password or secret\$3 or code\$6) and register\$4)and (fax or facsimile or (peer near2 communication\$3))))).CLM.	349
<input type="checkbox"/>	L28	358/\$.CCLS. AND (((password or secret\$3 or code\$6) and register\$4)and (fax or facsimile or (peer near2 communication\$3)))	3557
<input type="checkbox"/>	L27	358.\$CCLS. AND (((password or secret\$3 or code\$6) and register\$4)and (fax or facsimile or (peer near2 communication\$3)))	0
<input type="checkbox"/>	L26	726/\$.ccls. and (((password or secret\$3 or code\$6) and register\$4)and (fax or facsimile or (peer near2 communication\$3)))	555
<input type="checkbox"/>	L25	726/\$.ccls. and (((password or secret\$3 or code\$6) and register\$4)and (fax or facsimile or (peer near2 communication\$3)))	555
<input type="checkbox"/>	L24	380/\$.ccls. and (((password or secret\$3 or code\$6) and register\$4)and (fax or facsimile or (peer near2 communication\$3)))	542
<input type="checkbox"/>	L23	L21 and ((password or secret\$3 or code\$6) and register\$4)	71
<input type="checkbox"/>	L22	L21 and ((password or secret\$3 or code\$6) register\$4)	115
<input type="checkbox"/>	L21	713/\$.ccls. AND ((fax or FACSIMILE) same password)	115
<input type="checkbox"/>	L20	713/\$.ccls. AND (FACSIMILE same password)	37
<input type="checkbox"/>	L19	L18 AND FACSIMILE	10
<input type="checkbox"/>	L18	L17 AND AUTHENTICATION	14

<input type="checkbox"/>	L17	(L16 OR L7) AND CERTIFICATE	19
<input type="checkbox"/>	L16	L15 and confidential	0
<input type="checkbox"/>	L15	L14 and (facsimile or Fax)	0
<input type="checkbox"/>	L14	(713/202).cccls. and password	0
<input type="checkbox"/>	L13	L12 and confidential adj communicat\$5	7
<input type="checkbox"/>	L12	L7 and (password or ID)	132
<input type="checkbox"/>	L11	facsimile and password same "two passwords"	62
<input type="checkbox"/>	L9	L8 and authentication	16
<input type="checkbox"/>	L8	L7 and confidential	48
<input type="checkbox"/>	L7	(L4 or L6) and password\$2	132
<input type="checkbox"/>	L6	(358/400).cccls.	1041
<input type="checkbox"/>	L5	(358/40).cccls.	0
<input type="checkbox"/>	L4	(380/243 380/246).cccls.	211
<input type="checkbox"/>	L3	(713/243 713/246).cccls.	0
<input type="checkbox"/>	L2	6,108,103.pn.	2

END OF SEARCH HISTORY

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

secure confidential facsimile "password"

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 209,000 for secure confidential facsimile "password". (0.18 seconds)**[PDF] 6. Receiving a Document**File Format: PDF/Adobe Acrobat - [View as HTML](#)Use this mode if you have a single line for **facsimile** and ... In the **confidential** receive mode, the **secure access password** ...www.xerox-support.com/.../pdf - [Similar pages](#)**[PDF] Scope: This procedure outlines specific security measures intended ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)... the information is **confidential**. [See Appendix B, Guidelines for **facsimile** transmission.] ... communicated in a **secure, confidential** environment. ...www.capitalhealth.ca/.../6.3.2.2+security+in+handling.pdf - [Similar pages](#)**[doc] Tufts University**File Format: Microsoft Word - [View as HTML](#)Under circumstances when a **password** is required, each user will establish a ... Each University employee with access to **secure** or **confidential** information ...www.tufts.edu/tccs/downloads/sec-6-03.doc - [Similar pages](#)**[PDF] Tufts University Information Technology Resources Security Policy**File Format: PDF/Adobe Acrobat - [View as HTML](#)devices such as phones, **facsimile** machines and alarm systems) and vendor- ... e) Each University employee with access to **secure** or **confidential** information ...www.tufts.edu/tccs/downloads/sec-6-03.pdf - [Similar pages](#)**Best and Worst Practices In Private Sector Managed Mental ...****Facsimile.** "Documents which contain **confidential** information may not be ... is in a **secure** area or the fax can be protected by being picked up immediately. ...www.nmha.org/shcr/bestprac2/maintain.cfm - 27k - [Cached](#) - [Similar pages](#)**Security Measures Required to Comply with Privacy Policies**Each person is responsible for keeping his or her **password secure**. ... keeps the provider's email **confidential** so it cannot be shared with non-patients, ...hipaa.wustl.edu/Policies/Security.htm - 27k - [Cached](#) - [Similar pages](#)**[PDF] CDVAOHI**File Format: PDF/Adobe Acrobat - [View as HTML](#)removing **confidential** data from the. office except as authorized. No. 0. Yes in theory but. maybe not in practice. 1 Yes. 2. G. Workstations and **Facsimile** ...www.cdva.ca.gov/hipaa/internalassessment.pdf - [Similar pages](#)**Secure Business Services - SSL, Secure Socket Layer, 128-bit ...**Neither party shall use any **Confidential** Information other than for the purpose of ... Notices may be sent by first-class mail or **facsimile** transmission ...www.securebusinessservices.com/terms-service-sbs-subscriber.asp - 40k -[Cached](#) - [Similar pages](#)**[PDF] April 2003 Page 400.1 EMPLOYEE GROUP INSURANCE TREATMENT OF ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**password** protected screen saver before leaving his or her workstation for any ... All pages

of a **facsimile** containing PHI shall be marked "**CONFIDENTIAL**". ...
www.utsystem.edu/egi/policies/HIPAA.408.03.Safeguarding.PHI.pdf - [Similar pages](#)

[\[PDF\] Protecting Patient Information with Efficient HIPAA Compliance](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

systems and dedicated **facsimile** machines. **secure** incoming faxes received ... Faxes can be stored in **password**-. protected memory, forwarded to a **confidential** ...
www.usa.canon.com/html/cprindbrochures/patient_insert.pdf - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

confidential+facsimile+"match passwords"+"far end" +"near e

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **confidential facsimile match passwords far end near end transmission**

Found 3 of 3

Sort results by

relevance


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 3 of 3

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Session 4D: interconnect analysis: Hurwitz stable reduced order modeling for RLC interconnect trees](#)

Xiaodong Yang, Chung Kuan Cheng, Walter H. Ku, Robert J. Carragher

 November 2000 **Proceedings of the 2000 IEEE/ACM international conference on Computer-aided design**

Publisher: IEEE Press

 Full text available: [pdf\(263.38 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

We present a new reliable reduced order modeling technique for RLC interconnect trees. Both lumped and distributed wire models can be used with this technique. Provable stability is achieved by using Hurwitz polynomials. Moment computation process is avoided but moments can still be matched implicitly. In experiments, the proposed Hurwitz three-pole model can accurately and efficiently capture inductive effect for both near end and far end nodes.

2 [International standards for data communications: A status report](#)



Ira W. Cotton, Harold C. Folts

 September 1977 **Proceedings of the fifth symposium on Data communications**

Publisher: ACM Press

 Full text available: [pdf\(1.13 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Recent developments in data communications standards have been patterned on a hierarchical approach to communications system architecture. A number of independent levels have been identified, and standards development has proceeded at its own pace within each level. These levels are identified and recent progress at standardization is discussed for each.

3 [Crosstalk noise analysis: Gate delay calculation considering the crosstalk capacitances](#)

Soroush Abbaspour, Massoud Pedram

 January 2004 **Proceedings of the 2004 conference on Asia South Pacific design automation: electronic design and solution fair ASP-DAC '04 , Proceedings of the 2004 conference on Asia South Pacific design automation: electronic design and solution fair ASP-DAC '04**

Publisher: IEEE Press , IEEE Press

 Full text available: [pdf\(194.52 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

[Publisher Site](#)

In this paper, we present a new technique for calculating the output waveform of CMOS drivers for cross-coupled RC loads. The proposed technique is based on an effective capacitance calculation for each driver and an efficient, provably convergent, iteration scheme between the coupled drivers. Our technique can easily handle different input arrival times, transition times, and polarities, and can be extended to multiple cross-coupled drivers in a straightforward manner. Experimental results show ...

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **confidential facsimile**

Found 1 of 182,223

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 1 of 1

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Efficient frequency domain video scrambling for content access control](#)



Wenjun Zeng, Shawmin Lei

 October 1999 **Proceedings of the seventh ACM international conference on Multimedia (Part 1)**

Publisher: ACM Press

Full text available: pdf(1.65 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Multimedia data security is very important for multimedia commerce on the Internet such as video-on-demand and real-time video multicast. Traditional cryptographic algorithms for data security are often not fast enough to process the vast amount of data generated by the multimedia applications to meet the real-time constraints. This paper presents a joint encryption and compression framework in which video data are scrambled efficiently in the frequency domain by employing selective bit scr ...

Keywords: compression, content access control, multimedia commerce, multimedia encryption, multimedia security, selective encryption, video scrambling

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

 Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)